

Dilation and Curettage for Menorrhagia

VERSION CONTROL

Version:	4.0
Ratified by:	Governing Body Meetings in Common
Date ratified:	20 March 2019
Name of originator/author:	Joint CCG Clinical Commissioning Policy Development Group/NHS England
Name of responsible committees:	Clinical Quality and Governance Committee
Date issued:	1 April 2019
Review date:	March 2022

VERSION HISTORY

Date	Version	Comment / Update
April 2009	1.0	Previous PCT policy
June 2013	2.0	Version to Governing Body – approved on 12 June 2013
September 2016	3.0	Approved by Governing Body
March 2019	4.0	Approved by Governing Body meetings in common

Commissioning policy: Warwickshire North CCG (WNCCG)

Evidence-Based Intervention Commissioning policy:

Dilation and Curettage for menorrhagia (D&C)

Treatment	Dilation and Curettage for menorrhagia (D&C)
Indication	Menorrhagia
Treatment:	<ul style="list-style-type: none">• D & C not funded for diagnosis or treatment for heavy menstrual bleeding in women <p>Ultrasound scans and camera tests with sampling of the lining of the womb (hysteroscopy and biopsy) can be used to investigate heavy periods.</p> <p>Medication and intrauterine systems (IUS) can be used to treat heavy periods.</p>
Diagnostic and Procedure Codes	Q103, Q108, Q109
Equality Impact	See NHS England Equality and Health Inequalities – Full Analysis Form